

SAFETY DATA SHEET

in accordance with 2020/878/EU (REACH, Annex II) 29 CFR 1910.1200, WHMIS 2015 and Safe Work Australia

Revision date: 1 November 2022 Date of previous issue: 5 December 2019 SDS No. 133-22

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

615 HTG #2

Unique Formula Identifier (UFI): Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Petroleum base lubricant. Superior multi-purpose grease for heavy loads and high heat.

Supplier:

Uses advised against: No data available

Reason why uses advised against: Not applicable

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY

860 Salem Street

Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST) SDS requests: <u>www.chesterton.com</u>

E-mail (SDS questions): ProductSDSs@chesterton.com

E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive, Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055 EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect) NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015, Safe Work Australia and GHS. However, a safety data sheet is being supplied for it on request as it contains at least one substance posing human health or environmental hazards.

2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.3. Additional information

None

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:NoneSignal word:NoneHazard statements:NonePrecautionary statements:None

Product: 615 HTG #2

Date: 1 November 2022 SDS No. 133-22

Supplemental information: EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, mono-C16-24-alkyl derivs.,

calcium salts. May produce an allergic reaction.

2.3. Other hazards

None

3.2. Mixtures					
Hazardous Ingredients¹	% W t.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification	SCL, M-factor, ATE
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	1-5	68584-23-6 271-529-4	NA	Skin Sens. 1B, H317	ATE (oral): > 5,000 mg/kg ATE (dermal): > 5,000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Calcium dodecylbenzenesulphonate	1-<3	26264-06-2 247-557-8	NA	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 4, H413	ATE (oral): 1,300 mg/kg ATE (dermal): > 5,000 mg/kg
Sulfonic acids, petroleum, calcium salts	1-<3	61789-86-4 263-093-4	NA	Skin Sens. 1B, H317	ATE (oral): > 5,000 mg/kg ATE (dermal): > 5,000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1-<1	70024-69-0 274-263-7	NA	Skin Sens. 1B, H317	ATE (oral): > 5,000 mg/kg ATE (dermal): > 5,000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Other ingredients:					
Distillates (petroleum), solvent- refined heavy paraffinic*	60-70	64741-88-4 265-090-8	NA	Not classified**	ATE (oral): > 5,000 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalation, mist): > 5.53 mg/l
Calcium carbonate	10-20	471-34-1 207-439-9	NA	Not classified**	ATE (oral): 6,450 mg/kg
For full toxt of H statements, and CECT	FION 16				

For full text of H-statements: see SECTION 16.

¹ Classified according to: • 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)

• 1272/2008/EC, GHS, REACH

• WHMIS 2015

Safe Work Australia

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician immediately.

Ingestion: Do not induce vomiting. Contact physician.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. Avoid contact with

the product while providing aid to the victim. See section 8.2.2 for recommendations on personal

protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

May cause mild eye irritation.

^{*}Contains less than 3 % DMSO extract as measured by IP 346.

^{**}Substance with a workplace exposure limit.

Product: 615 HTG #2

Date: 1 November 2022 SDS No. 133-22

4.3. Indication of any immediate medical attention and special treatment needed

High velocity injection under the skin may leave a bloodless puncture wound subject to infection, disfigurement, lack of blood and may require amputation. Immediate treatment by a surgical specialist is recommended.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, dry chemical, dry sand, foam or water fog

Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon Monoxide, Carbon Dioxide, oxides of Sulfur and Calcium and other toxic fumes.

Other hazards: Dense smoke.

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Australian HAZCHEM Emergency Action Code: 3 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8. Wash before eating, drinking or smoking. Injection into the body without immediate medical treatment may cause loss of affected part of the body.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients	OSH <i>A</i> ppm	NPEL ¹ mg/m ³	ACGII ppm	HTLV ² mg/m ³	UK V ppm	VEL³ mg/m³	AUSTR/ ppm	ALIA ES ⁴ mg/m ³
Benzenesulfonic acid, C10-16- alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Calcium dodecylbenzenesulphonate	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sulfonic acids, petroleum, calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Benzenesulfonic acid, mono- C16-24-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Oil mist, mineral	N/A	5	N/A	5	N/A	N/A	N/A	5
Calcium carbonate	(total) (resp.)	15 5	(inhal.) (resp.)	10 * 3	(inhal.) (resp.)	10 4	N/A	10

^{*} Particles Not Otherwise Specified (PNOS)

Product: 615 HTG #2

Date: 1 November 2022 **SDS No.** 133-22

- ¹ United States Occupational Health & Safety Administration permissible exposure limits
- ² American Conference of Governmental Industrial Hygienists threshold limit values
- ³ EH40 Workplace exposure limits, Health & Safety Executive
- ⁴ Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

Biological limit values

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

Workers

Not available

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Not available

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for

mists.

Protective gloves: Chemical resistant gloves (e.g., rubber, nitrile).

Eye and face protection: Safety goggles or glasses.

Other: Long sleeves, long pants and good personal hygiene to minimize skin contact.

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state grease pН not applicable Colour Kinematic viscosity 100 sus @ 38°C green Odour mild odor Solubility in water negligible Odour threshold not determined Partition coefficient no data available

n-octanol/water (log value)

Boiling point or rangenot applicableVapour pressure @ 20°Cnot determinedMelting point/freezing pointnot determinedDensity and/or relative density0.97 kg/l% Volatile (by volume)0%Weight per volume8.1 lbs/gal.

Flammability no data available Vapour density (air=1) > 1
Lower/upper flammability not determined Rate of evaporation (ether=1) < 1
or explosion limits

Flash point > 190°C (> 374°F) % Aromatics by weight

MethodOpen CupParticle characteristicsnot applicableAutoignition temperaturenot determinedExplosive propertiesnot determinedDecomposition temperatureno data availableOxidising propertiesnot determined

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Open flames and red hot surfaces.

Product: 615 HTG #2

Date: 1 November 2022

SDS No. 133-22

10.5. Incompatible materials

Strong acids/bases and strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

Carbon Monoxide, Carbon Dioxide, oxides of Sulfur and Calcium and other toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 / GHS

Primary route of exposure

under normal use:

Skin and eye contact.

Acute toxicity -

Oral: ATE-mix > 5,000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rat	1,300 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	LD50, rat, (OECD 401)	> 5000 mg/kg
Distillates (petroleum), solvent-refined heavy paraffinic	LD50, rat	> 5000 mg/kg
Calcium carbonate	LD50, rat	6,450 mg/kg

Dermal: ATE-mix > 5,000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	LD50, rabbit	> 5,000 mg/kg
derivs., calcium salts		
Calcium dodecylbenzenesulphonate	LD50, rat	> 5,000 mg/kg
·		(read-across)
Sulfonic acids, petroleum, calcium salts	LD50, rabbit (OECD 402)	> 4,000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat (OECD 402)	> 5000 mg/kg
Benzenesulfonic acid, mono-C16-24-	LD50, rat (OECD 402)	> 5000 mg/kg
alkyl derivs., calcium salts		

Inhalation: Not classified, based on available data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	LC50, rat, mist (OPP 81-	> 1.9 mg/l
derivs., calcium salts	3)	-
Sulfonic acids, petroleum, calcium salts	LC50, rat, mist (OPP 81-	> 1.9 mg/l
	3)	
Benzenesulfonic acid, mono-C16-24-	LC50, rat, mist (OPP 81-	> 1.9 mg/l
alkyl derivs., calcium salts	3)	
Distillates (petroleum), solvent-refined	LC50, rat, mist	> 5.53 mg/l
heavy paraffinic		

Skin corrosion/irritation: Not irritating, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	Skin irritation, rabbit	Not irritating
derivs., calcium salts	(OECD 404)	
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit	Irritating

Product: 615 HTG #2

Date: 1 November 2022

SDS No. 133-22

Serious eye damage/ irritation:

Not irritating, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	Eye irritation, rabbit	Not irritating
derivs., calcium salts	(OECD 405)	-
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit	Severe irritation
	(OECD 405)	
Sulfonic acids, petroleum, calcium salts	Eye irritation, rabbit	Not irritating
Benzenesulfonic acid, mono-C16-24-	Eye irritation, rabbit	Not irritating
alkyl derivs., calcium salts	-	_

Respiratory or skin sensitisation:

Does not cause skin sensitisation, based on data from similar materials. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts: probability or evidence of low to moderate skin sensitisation rate in humans.

Germ cell mutagenicity:

Not classified due to lack of data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	Ames test (OECD 471)	negative (similar
derivs., calcium salts		material)
Benzenesulfonic acid, C10-16-alkyl	In vitro test, OECD 476	negative (similar
derivs., calcium salts		material)
Benzenesulfonic acid, C10-16-alkyl	Micronucleus test,	negative
derivs., calcium salts	mouse, oral	
Calcium dodecylbenzenesulphonate	Ames test (QSAR)	negative
Sulfonic acids, petroleum, calcium salts	Ames test (OECD 471)	negative (similar
		material)
Sulfonic acids, petroleum, calcium salts	In vitro test, OECD 476	negative (similar
		material)
Benzenesulfonic acid, mono-C16-24-	Ames test (OECD 471)	negative
alkyl derivs., calcium salts		
Benzenesulfonic acid, mono-C16-24-	In vitro test, OECD 476	negative
alkyl derivs., calcium salts		
Distillates (petroleum), solvent-refined	bacteria, OECD 471	negative
heavy paraffinic		

Carcinogenicity:

This product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or the European Chemicals Agency (ECHA).

Reproductive toxicity:

Not classified, based on available data. Distillates (petroleum), solvent-refined heavy paraffinic, Calcium carbonate: in animal studies, did not interfere with reproduction.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	415, rat, male/female, oral, 28 days	NOAEL >= 500 mg/kg (similar material)
Calcium dodecylbenzenesulphonate	rat, male/female, oral, 20 days	maternal NOAEL: 300 mg/kg developmental NOAEL: 300 mg/kg

STOT – single exposure:

Not classified due to lack of data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

STOT – repeated exposure:

Not classified, based on available data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	28-day oral subchronic study (OECD 407) rat, male/female	NOAEL: 500 mg/kg (similar material)
Calcium dodecylbenzenesulphonate	180-day oral subchronic study, rat, male/female	LOAEL: 115 mg/kg
Calcium dodecylbenzenesulphonate	rat, male/female, 30 days	LOAEL: 250 mg/kg

Product: 615 HTG #2 **SDS No.** 133-22

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Date: 1 November 2022

None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Calcium dodecylbenzenesulphonate: 96 h LC50 (fish) = 22 mg/l (OECD 203, read-across). Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: 96 h LC50 (fish) > 71 mg/l (OECD 203). Sulfonic acids, petroleum, calcium salts: 96 h LC50 (fish) > 10,000 mg/l. Mineral oil: practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/ErC50 > 100 mg/l.)

12.2. Persistence and degradability

Mineral oil: not readily biodegradable. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: not readily biodegradable (read-across). Calcium dodecylbenzenesulphonate: readily biodegradable (73%, 28 days). Sulfonic acids, petroleum, calcium salts: not readily biodegradable (8.6%, 28 days).

12.3. Bioaccumulative potential

Mineral oil: not expected to bioaccumulate. Calcium dodecylbenzenesulphonate: BCF = 104 (fish, 21 days). log Kow 3.9 – 6; has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

12.4. Mobility in soil

Solubility in water: negligible. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9). Mineral oil: expected to exhibit low mobility in soil.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Endocrine disrupting properties

None known

12.7. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. Unused product is not classified as a hazardous waste according to 2008/98/EC.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number or ID number

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADG/ADR/RID/ADN/IMDG/ICAO:

TDG:

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE NOT APPLICABLE NOT APPLICABLE

14.4. Packing group

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE NOT APPLICABLE US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Maritime transport in bulk according to IMO instruments

NOT APPLICABLE

Product: 615 HTG #2 SDS No. 133-22

Date: 1 November 2022 14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: Nor 15.1.2. National regulations US EPA SARA TITLE III

312 Hazards: Chemicals subject to reporting requirements of Section 313 of EPCRA

and of 40 CFR 372:

None None

TSCA: All chemical components are listed in the TSCA inventory.

Other national regulations: None 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations ADG: Australian Dangerous Goods Code

and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate BCF: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL: Specific Concentration Limit

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure TDG: Transportation of Dangerous Goods (Canada)

TWA: Time Weighted Average

US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Product: 615 HTG #2

Date: 1 November 2022 SDS No. 133-22

Key literature references

Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)

and sources for data: Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

 Classification
 Classification procedure

 Not applicable
 Not applicable

Relevant H-statements: H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H413: May cause long lasting harmful effects to aquatic life.

Hazard pictogram names: Not applicable

Further information: None

Date of last revision: 1 November 2022

Changes to the SDS in this revision: Sections 1.1, 1.3, 3.2, 5.2, 8.1, 9.1, 10.6, 11, 12.2, 15.1.2, 16.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.