

according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Page 1 of 20

UFI: J4S5-HCGV-446T-XW7E

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Revision date: 21.01.2022

ARC 797(E) Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

ARC Polymer Composite. Repair damage caused by impact, abrasion or erosion and chemical attack.

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

| Company name: | Chesterton International GmbH | |
|--------------------------|--------------------------------------|-------------------------------|
| Street: | Am Lenzenfleck 23 | |
| Place: | D-85737 Ismaning GERMANY | |
| Telephone: | +49 89 99 65 46 - 0 | Telefax: +49 89 99 65 46 - 50 |
| e-mail: | eu-sds@chesterton.com | |
| e-mail (Contact person): | eu-sds@chesterton.com | |
| Internet: | www.chesterton.com | |
| Responsible Department: | eu-sds@chesterton.com | |
| 1.4. Emergency telephone | +49(0) 551 - 1 92 40 (GIZ-Nord, 24h) | |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Signal word: Warning

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Pictograms:

Page 2 of 20



Hazard statements

| H315 | Causes skin irritation. |
|------|--|
| H319 | Causes serious eye irritation. |
| H317 | May cause an allergic skin reaction. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

| , | |
|-----------|--|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |

Special labelling of certain mixtures

Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

EUH205

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 3 of 20

Hazardous components

| CAS No | Chemical name | Quantity | | |
|------------|---|-------------------------------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation | | | |
| 1675-54-3 | 2,2'-[(1-Methylethyliden)b | is(4,1-phenylenoxymethylen)]bisox | ran | 50 -< 75 % |
| | 216-823-5 | 603-073-00-2 | 01-2119456619-26 | |
| | Skin Irrit. 2, Eye Irrit. 2, Sk | kin Sens. 1, Aquatic Chronic 2; H31 | 5 H319 H317 H411 | |
| | Reaction mass of 2,2'-[me [methylenebis(4,1-phenyle (oxiran-2-ylmethoxy)benzy | 10 -< 25 % | | |
| | 701-263-0 | | 01-2119454392-40 | |
| | Skin Irrit. 2, Skin Sens. 1, | Aquatic Chronic 2; H315 H317 H4 | 1 | |
| 68609-97-2 | oxirane, mono[(C12-14-al | 5 -< 10 % | | |
| | 271-846-8 | 603-103-00-4 | 01-2119485289-22 | |
| | Skin Irrit. 2, Skin Sens. 1; | | | |
| 100-51-6 | benzyl alcohol | 5 -< 10 % | | |
| | 202-859-9 | 603-057-00-5 | 01-2119492630-38 | |
| | Acute Tox. 4, Acute Tox. 4 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|---------------|---|------------|
| | Specific Cond | . Limits, M-factors and ATE | |
| 1675-54-3 | 216-823-5 | 2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran | 50 -< 75 % |
| | | C50 = ca. 24,6 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 19800 Irrit. 2; H315: >= 5 - 100 | |
| | 701-263-0 | Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4- (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane | 10 -< 25 % |
| | dermal: LD5 | 0 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 68609-97-2 | 271-846-8 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | 5 -< 10 % |
| | oral: LD50 = | > 2000 mg/kg | |
| 100-51-6 | 202-859-9 | benzyl alcohol | 5 -< 10 % |
| | | TE = 11 mg/l (vapours); inhalation: LC50 = >4,178 mg/l (dusts or mists); dermal:)0 mg/kg; oral: LD50 = 1580 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

```
Revision No: 1,16 - Replaces version: 1,15
```



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 4 of 20

Remove affected person from the danger area and lay down. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

- Dry extinguishing powder.
- Carbon dioxide (CO2).
- alcohol resistant foam.
- Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

- Carbon monoxide
- Carbon dioxide (CO2).
- Nitrogen oxides (NOx)

5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing. In case of fire: Wear self-contained breathing apparatus.

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 5 of 20

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Safe handling: see section 7 Personal protection equipment: see section 8 Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains. Adverse environmental effects

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Personal protection equipment: see section 8 People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Use protective skin cream before handling the product. Remove contaminated, saturated clothing immediately. When using do not eat, drink, smoke, sniff. Wash hands and face before breaks and after work and take a shower if necessary.

Further information on handling

Wash hands before breaks and after work. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Protect from direct sunlight.

```
Revision No: 1,16 - Replaces version: 1,15
```



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Hints on joint storage

- Keep away from:
- Food and feedingstuffs

Further information on storage conditions

- Keep away from:
- Frost
- Heat
- Humidity

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,16 - Replaces version: 1,15

Page 6 of 20



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 7 of 20

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|---|---|-----------|-------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 1675-54-3 | 2,2'-[(1-Methylethyliden)bis(4,1-phenylend | oxymethylen)]bisoxiran | | • |
| Worker DNEL | , long-term | inhalation | local | 310 mg/m ³ |
| Consumer DN | NEL, long-term | inhalation | local | 55 mg/m³ |
| Worker DNEL | ., long-term | inhalation | systemic | 4,93 mg/m³ |
| Worker DNEL | ., long-term | dermal | systemic | 0,75 mg/kg bw/day |
| Consumer DN | NEL, long-term | inhalation | systemic | 0,87 mg/m³ |
| Consumer DN | IEL, long-term | dermal | systemic | 0,0893 mg/kg bw/day |
| Consumer DN | NEL, long-term | oral | systemic | 0,5 mg/kg bw/day |
| | Reaction mass of 2,2'-[methylenebis(2,1-p [methylenebis(4,1-phenyleneoxymethylene (oxiran-2-ylmethoxy)benzyl]phenoxy}meth | e)]bis(oxirane) and 2-({2-[4- yl)oxirane | and 2,2'- | |
| Worker DNEL | ., long-term | inhalation | systemic | 29,39 mg/m ³ |
| Worker DNEL | ., long-term | dermal | systemic | 104,15 mg/kg bw/day |
| Worker DNEL | ., long-term | inhalation | local | 0,0083 mg/m³ |
| Consumer DN | NEL, long-term | inhalation | systemic | 8,7 mg/m³ |
| Consumer DNEL, long-term | | dermal | systemic | 62,5 mg/kg bw/day |
| Consumer DN | NEL, long-term | oral | systemic | 6,25 mg/kg bw/day |
| 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] d | erivs. | | |
| Worker DNEL | ., long-term | inhalation | systemic | 3,6 mg/m ³ |
| Worker DNEL | ., long-term | dermal | systemic | 1 mg/kg bw/day |
| Consumer DN | NEL, long-term | inhalation | systemic | 0,87 mg/m³ |
| Consumer DN | NEL, long-term | dermal | systemic | 0,5 mg/kg bw/day |
| Consumer DN | NEL, long-term | oral | systemic | 0,5 mg/kg bw/day |
| , | | | | |
| 100-51-6 | benzyl alcohol | | | |
| Worker DNEL | ., long-term | inhalation | systemic | 22 mg/m ³ |
| Worker DNEL | ., acute | inhalation | systemic | 110 mg/m ³ |
| Worker DNEL | ., long-term | dermal | systemic | 8 mg/kg bw/day |
| Worker DNEL | ., acute | dermal | systemic | 40 mg/kg bw/day |
| Consumer DN | NEL, long-term | inhalation | systemic | 5,4 mg/m ³ |

Revision No: 1,16 - Replaces version: 1,15

©A. W. Chesterton Company, 2023 All Rights Reserved. ®Reg. US Patent and TM Office



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Page 8 of 20

| Revision date: 21.01.2022 | | | Page 8 of 2 |
|---------------------------|------------|----------|-----------------|
| Consumer DNEL, acute | inhalation | systemic | 27 mg/m³ |
| Consumer DNEL, long-term | dermal | systemic | 4 mg/kg bw/day |
| Consumer DNEL, acute | dermal | systemic | 20 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 4 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 20 mg/kg bw/day |
| , | | | |

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

PNEC values CAS No Substance Environmental compartment Value 1675-54-3 2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran Freshwater 0,006 mg/l Freshwater (intermittent releases) 0,018 mg/l Marine water 0,001 mg/l Freshwater sediment 0,341 mg/kg Marine sediment 0,034 mg/kg Secondary poisoning 11 mg/kg Micro-organisms in sewage treatment plants (STP) 10 mg/l Soil 0,065 mg/kg Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane 0,003 mg/l Freshwater 0,025 mg/l Freshwater (intermittent releases) Marine water 0 mg/l Freshwater sediment 0,294 mg/kg Marine sediment 0,029 mg/kg Micro-organisms in sewage treatment plants (STP) 10 mg/l Soil 0,237 mg/kg 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Freshwater 0,106 mg/l Freshwater (intermittent releases) 0,072 mg/l 0,011 mg/l Marine water Freshwater sediment 307,16 mg/kg Marine sediment 30,72 mg/kg Micro-organisms in sewage treatment plants (STP) 10 mg/l Soil 1,234 mg/kg 100-51-6 benzyl alcohol Freshwater 1 mg/l Freshwater (intermittent releases) 2,3 mg/l Marine water 0,1 mg/l Freshwater sediment 5,27 mg/kg Marine sediment 0,527 mg/kg

Page 9 of 20



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

 Revision date: 21.01.2022
 Page 10 of 20

 Micro-organisms in sewage treatment plants (STP)
 39 mg/l

 Soil
 0,456 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation. If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection:

- Eye glasses with side protection
- goggles
- Wear face protection.

Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material >= 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): max. 480 min. (NBR (Nitrile rubber))

Wearing time with permanent contact 240 - 480 min (NBR (Nitrile rubber))

Observe the wear time limits as specified by the manufacturer.

Skin protection

Protective clothing. Chemical protection clothing

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Combination filtering device A-P3

Self-contained respirator (breathing apparatus)

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid |
|-------------------------------|----------------|
| Colour: | transparent |
| Odour: | characteristic |
| Melting point/freezing point: | |

No data available

```
Revision No: 1,16 - Replaces version: 1,15
```



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Page 11 of 20

| Revision date: 21.01.2022 | · / |
|--|-------------------|
| Boiling point or initial boiling point and boiling range: Flammability | No data available |
| Solid/liquid: | No data available |
| Lower explosion limits: | No data available |
| Upper explosion limits: | No data available |
| Flash point: | > 95 °C |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | |
| No information available. | |
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure: | No data available |
| Density (at 23 °C): | ~ 1,13 g/cm³ |
| Relative vapour density: | No data available |
| 9.2. Other information | |
| Information with regard to physical hazard classes | |
| Explosive properties | |
| No information available. | |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| No information available. | |
| Other safety characteristics | |
| Evaporation rate: | No data available |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| Viscosity / dynamic: (at 23 °C) | ~ 750 mPa∙s |
| Further Information | |
| No information available. | |

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

Does not decompose when used for intended uses. No known hazardous decomposition products.

```
Revision No: 1,16 - Replaces version: 1,15
```

IRL - en

©A. W. Chesterton Company, 2023 All Rights Reserved. ®Reg. US Patent and TM Office



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 12 of 20

10.3. Possibility of hazardous reactions

- Possibility of hazardous reactions
- Amines
- Acid
- Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (inhalation dust/mist) 2,013 mg/l



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 13 of 20

| CAS No | Chemical name | | | | | | | |
|---|-------------------------------|---------------|---------------|-----------------|--|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 1675-54-3 | 2,2'-[(1-Methylethyliden) | bis(4,1-phe | nylenoxymeth | ylen)]bisoxiran | | | | |
| | oral | LD50 mg/kg | 19800 | Rabbit | Publication (1958) | Rabbits were orally gavaged with test ma | | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (2007) | OECD Guideline 402 | | |
| | inhalation (4 h) vapour | LC50 mg/l | ca. 24,6 | Rat | AMA Arch. Ind. Hyg. Occ. Med. 10: 61-68 | Rats were exposed to 8000 ppm of the tes | | |
| Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4- (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane | | | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Study report (1988) | OECD Guideline 401 | | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (1988) | OECD Guideline 402 | | |
| 68609-97-2 | oxirane, mono[(C12-14-a | alkyloxy)me | thyl] derivs. | | | | | |
| | oral | LD50 mg/kg | > 2000 | Rat | Study report (1977) | Three groups each of four female rats re | | |
| 100-51-6 | benzyl alcohol | | | | | | | |
| | oral | LD50 mg/kg | 1580 | Mouse | Cosmet. Toxicol. 11, 1011-1013 (1973) (1 | OECD Guideline 401 | | |
| | dermal | LD50 mg/kg | > 2000 | Rabbit | Raw Material Data Handbook, Vol.1:(Orga | EPA OTS 798.1100 | | |
| | inhalation vapour | ATE | 11 mg/l | | | | | |
| | inhalation (4 h) dust/mist | LC50 mg/l | >4,178 | Rat | ECHA | OECD 403 | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains epoxy constituents. May produce an allergic reaction.May cause an allergic skin reaction. (2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran; Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-

[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-

(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

```
Revision No: 1,16 - Replaces version: 1,15
```



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 14 of 20

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 15 of 20

| CAS No | Chemical name | | | | | | |
|-----------|--|----------------|---------------|-----------|--|--|-----------------------|
| | Aquatic toxicity Dose [h] [d] Species | | | | | Source | Method |
| 675-54-3 | 2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran | | | | | | |
| | Acute fish toxicity | LC50 | 3,6 mg/l | 96 h | Oncorhynchus mykiss | Study report (1982) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Raphidocelis subcapitata | Study report (2007) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 | 2,8 mg/l | 48 h | Daphnia magna | REACh Registration Dossier | OECD Guideline 202 |
| | Crustacea toxicity | NOEC | 0,3 mg/l | 21 d | Daphnia magna | REACh Registration Dossier | OECD Guideline 211 |
| | Reaction mass of 2,2'-[me [methylenebis(4,1-phenyle (oxiran-2-ylmethoxy)benz | eneoxymeth | ylene)]bis(ox | irane) ar | hylene)]bis(oxirane) and nd 2-({2-[4- | 2,2'- | |
| | Acute fish toxicity | LC50 mg/l | > 1000 | 96 h | Oncorhynchus mykiss | Study report (1998) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 mg/l | > 1,8 | 72 h | Raphidocelis subcapitata | Study report (1993) | OECD Guideline 201 |
| | Acute crustacea toxicity | EL50 mg/l | > 1000 | 48 h | Daphnia magna | Study report (1998) | OECD Guideline 202 |
| | Crustacea toxicity | NOEC | 0,3 mg/l | 21 d | Daphnia magna | Study report (1984) | OECD Guideline 211 |
| 8609-97-2 | oxirane, mono[(C12-14-al | kyloxy)metł | nyl] derivs. | | | | |
| | Acute fish toxicity | LL50 mg/l | > 100 | 96 h | Oncorhynchus mykiss | Study report (2015) | OECD Guideline 203 |
| | Crustacea toxicity | NOEC | 56 mg/l | 21 d | Daphnia magna | (2017) | OECD Guideline 211 |
| 00-51-6 | benzyl alcohol | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Oryzias latipes | Review article or handbook (2009) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 | 770 mg/l | 72 h | Raphidocelis subcapitata | Review article or handbook (2009) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 | 230 mg/l | 48 h | Daphnia magna | Review article or handbook (2009) | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | 48,897 | 30 d | Fish species | http://epa.gov/oppt /exposure/pubs/ep isui | other: QSAR |
| | Algae toxicity | NOEC | 51 mg/l | 3 d | | | |
| | Crustacea toxicity | NOEC | 51 mg/l | 21 d | Daphnia magna | Review article or handbook (2009) | OECD Guideline 211 |
| | Acute bacteria toxicity | (EC50 mg/l) | 1385 | 3 h | activated sludge, domestic | Study report (1989) | OECD Guideline 209 |

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 16 of 20

12.2. Persistence and degradability

| CAS No | Chemical name | | | | | | |
|------------|---|-------|----|--------|--|--|--|
| | Method | Value | d | Source | | | |
| | Evaluation | | | | | | |
| 1675-54-3 | 2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran | | | | | | |
| | OECD 302B 12% 28 | | | | | | |
| | Not readily biodegradable (according to OECD criteria) | | | | | | |
| 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | |
| | OECD 301F | 87% | 28 | | | | |
| 100-51-6 | benzyl alcohol | | | | | | |
| | OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A 95 - 97% 21 | | | | | | |
| | Readily biodegradable (according to OECD criteria). | | | | | | |

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---|---------|
| 1675-54-3 | 2,2'-[(1-Methylethyliden)bis(4,1-phenylenoxymethylen)]bisoxiran | >= 2,64 |
| | Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4- (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane | 2,7 |
| 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | 3,77 |
| 100-51-6 | benzyl alcohol | 1 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|--------|------------|----------------------|
| 1675-54-3 | 2,2'- [(1-Methylethyliden)bis(4,1-phenylenoxy methylen)]bisoxiran | 31 | | Study report (2010) |
| | Reaction mass of 2,2'- [methylenebis(2,1-phenyleneoxymethyl ene)]bis(oxirane) and 2,2'- [methylenebis(4,1-phenyleneoxymethyl ene)]bis(oxirane) and 2-({2-[4- (oxiran-2-ylmethoxy)benzyl]phenoxy} methyl)oxirane | 150 | | Other company data (|
| 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | >= 160 | | REACh Registration D |
| 100-51-6 | benzyl alcohol | 1,371 | QSAR model | http://epa.gov/oppt/ |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 17 of 20

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. The waste code has to be identified in agreement with the disposal company or the competent authority.

Contaminated packaging

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

| Land transport (ADR/RID) | |
|--------------------------------------|---|
| 14.1. UN number or ID number: | UN 3082 |
| 14.2. UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | (epoxy resin) |
| 14.3. Transport hazard class(es): | 9 |
| 14.4. Packing group: | III |
| Hazard label: | 9 |
| Classification code: | M6 |
| Special Provisions: | 274 335 375 601 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 90 |
| Tunnel restriction code: | - |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number or ID number:</u> | UN 3082 |
| 14.2. UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| | (epoxy resin) |
| 14.3. Transport hazard class(es): | 9 |
| 14.4. Packing group: | III |
| Hazard label: | 9 |
| Classification code: | M6 |
| | |

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

| Revision date: 21.01.2022 Special Provisions: | | Page 18 of 20 |
|---|--|---------------|
| Special Provisions: | | |
| | 274 335 375 601 | |
| Limited quantity: | 5 L | |
| Excepted quantity: | E1 | |
| Marine transport (IMDG) | | |
| <u>14.1. UN number or ID number:</u> | UN 3082 | |
| 14.2. UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | |
| | (epoxy resin) | |
| 14.3. Transport hazard class(es): | 9 | |
| 14.4. Packing group: | | |
| Hazard label: Special Provisions: | 9 274, 335, 969 | |
| Limited quantity: | 5 L | |
| Excepted quantity: | E1 | |
| EmS: | F-A, S-F | |
| Air transport (ICAO-TI/IATA-DGR) | , | |
| 14.1. UN number or ID number: | UN 3082 | |
| 14.2. UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | |
| <u> </u> | (epoxy resin) | |
| 14.3. Transport hazard class(es): | 9 | |
| 14.4. Packing group: | III | |
| Hazard label: | 9 | |
| Special Provisions: | A97 A158 A197 A215 | |
| Limited quantity Passenger: | 30 kg G | |
| Passenger LQ: | Y964 | |
| Excepted quantity: IATA-packing instructions - Passenger: | E1 964 | |
| IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: | 964 450 L | |
| IATA-packing instructions - Cargo: | 964 | |
| IATA-max. quantity - Cargo: | 450 L | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | |
| | | |
| Danger releasing substance: | epoxy resin | |
| 14.6. Special precautions for user | | |
| No information available. | to INO instruments | |
| 14.7. Maritime transport in bulk according No information available. | to IMO Instruments | |
| | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental reg | ulations/legislation specific for the substance or mixture | |
| EU regulatory information | | |
| Restrictions on use (REACH, annex XVII) |): | |
| Entry 3 | r. | |

Revision No: 1,16 - Replaces version: 1,15

©A. W. Chesterton Company, 2023 All Rights Reserved. ®Reg. US Patent and TM Office



according to Regulation (EC) No 1907/2006

| | ARC 797(E) Part A | |
|--|---|---------------|
| Revision date: 21.01.2022 | | Page 19 of 20 |
| 2004/42/EC (VOC): Subcategory according to Directive 2004/42/EC: | < 500 g/l (A+B) Two-pack reactive performance coatings for specific end use such as floors - Solvent-borne coatings, VOC limit value: 500 g/l | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juver work protection guideline' (94/33/EC). | nile |
| Water hazard class (D): | 2 - obviously hazardous to water | |
| 15.2. Chemical safety assessment | | |
| 2,2'-[(1-Methylethyliden)bis(4,1-phenyle Reaction mass of 2,2'-[methylenebis(2, [methylenebis(4,1-phenyleneoxymethyle (oxiran-2-ylmethoxy)benzyl]phenoxy}me oxirane, mono[(C12-14-alkyloxy)methyl benzyl alcohol | 1-phenyleneoxymethylene)]bis(oxirane) and 2,2'- ene)]bis(oxirane) and 2-({2-[4- ethyl)oxirane | |
| SECTION 16: Other information | | |
| 04 | | |
| Changes | | |
| | the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14,15. | |
| | the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14,15. | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport | des marchandises dangereuses par Route | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the Ir | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the Ir RID:Règlement international conernat le | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the Ir RID:Règlement international conernat le (Regulations Concerning the Internation | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the Ir RID:Règlement international conernat le | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) Dangerous Goods | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the Ir RID:Règlement international conernat le (Regulations Concerning the Internation IMDG: International Maritime Code for I IATA: International Air Transport Associ | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) Dangerous Goods | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the In RID:Règlement international conernat le (Regulations Concerning the Internation IMDG: International Maritime Code for II IATA: International Air Transport Associ IATA-DGR: Dangerous Goods Refulation ICAO: International Civil Aviation Organ | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) Dangerous Goods iation ons by the "International Air Transport Association" (IATA) nization | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the In RID:Règlement international conernat le (Regulations Concerning the Internation IMDG: International Maritime Code for II IATA: International Air Transport Associ IATA-DGR: Dangerous Goods Refulation ICAO: International Civil Aviation Organ ICAO-TI: Technical Instructions by the " | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) Dangerous Goods iation ons by the "International Air Transport Association" (IATA) nization 'International Civil Aviation Organization" (ICAO) | |
| This data sheet contains changes from Abbreviations and acronyms ADR: Accord européen sur le transport (European Agreement concerning the In RID:Règlement international conernat le (Regulations Concerning the Internation IMDG: International Maritime Code for II IATA: International Air Transport Associ IATA-DGR: Dangerous Goods Refulation ICAO: International Civil Aviation Organ | des marchandises dangereuses par Route nternational Carriage of Dangerous Goods by Road) e transport des marchandises dangereuses par chemin de fer nal Transport of Dangerous Goods by Rail) Dangerous Goods iation ons by the "International Air Transport Association" (IATA) nization 'International Civil Aviation Organization" (ICAO) aging | |

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50% EC50: Effective Concentration 50%

EC50: Ellective Concentration 50%

Revision No: 1,16 - Replaces version: 1,15



according to Regulation (EC) No 1907/2006

ARC 797(E) Part A

Revision date: 21.01.2022

Page 20 of 20

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| 1.010 | | |
|-------|-------|--|
| F | 1302 | Harmful if swallowed. |
| F | 1315 | Causes skin irritation. |
| F | 1317 | May cause an allergic skin reaction. |
| F | 1319 | Causes serious eye irritation. |
| F | 1332 | Harmful if inhaled. |
| H | 1411 | Toxic to aquatic life with long lasting effects. |
| E | UH205 | Contains epoxy constituents. May produce an allergic reaction. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)