

SAFETY DATA SHEET

in accordance with 2020/878/EU (REACH, Annex II) 29 CFR 1910.1200, WHMIS 2022 and Safe Work Australia

Revision: 19 July 2024 Date of previous issue: 5 December 2023 SDS No. 477-2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

720 CCG Chain, Cable, Gear Lubricant (Bulk)

Unique Formula Identifier (UFI): 04AV-AE76-A1FX-T0HS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Use on chains, cables and small to medium sized open gears.

Uses advised against: No information available Reason why uses advised against: Not applicable 1.3. Details of the supplier of the safety data sheet

Company: Supplier:

A.W. CHESTERTON COMPANY 860 Salem Street Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 (Mon. - Fri. 8:30 - 5:00 PM EST)

SDS requests: www.chesterton.com

E-mail (SDS questions): ProductSDSs@chesterton.com

E-mail: customer.service@chesterton.com

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive, Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055 EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect)
NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2022 / Safe Work Australia / GHS

Eye irritation, Category 2, H319

2.1.2. Additional information

For full text of H-statements: see SECTIONS 2.2 and 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2022 / Safe Work Australia / GHS

Hazard pictograms:

Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.

Date: 19 July 2024 SDS No. 477-2

Precautionary statements: P264 Wash skin thoroughly after handling.

P280 Wear eye/face protection.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337/313 If eye irritation persists: Get medical advice/attention.

Supplemental information: None

2.3. Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

OIZI IIIIXtaroo					
Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification	SCL, M-factor, ATE
Tetrasodium pyrophosphate	0.7 – 1.4	7722-88-5 231-767-1	NA	Eye Dam. 1, H318 Acute Tox. 4, H302	ATE (oral): 1,624 mg/kg ATE (dermal): 7,940

For full text of H-statements: see SECTION 16.

¹ Classified according to: • 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)

1272/2008/EC, GHS, REACH

WHMIS 2022Safe Work Australia

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Consult physician if irritation develops or persists.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Contact physician.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. If person is conscious, rinse mouth with

water. Contact physician immediately.

Protection of first-aiders: Avoid contact with eyes. See section 8.2.2 for recommendations on personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Prolonged or repeated skin contact may defat the skin and cause skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

High velocity injection under the skin may leave a bloodless puncture wound subject to infection, disfigurement, lack of blood and may require amputation. Immediate treatment by a surgical specialist is recommended.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, dry chemical, alcohol-resistant foam or water fog

Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: oxides of Carbon, Sulfur, Calcium and Phosphorus.

Other hazards: Rapid depolymerization can occur in a fire and produce flammable vapors. May depolymerize at temperatures

above 200°C with the production of extremely flammable butene monomers. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Do not allow runoff from

firefighting to enter drains or water courses.

5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Australian HAZCHEM Emergency Action Code: 2 Z

Date: 19 July 2024 SDS No. 477-2

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8. Do not eat, drink or smoke in work area. Wash hands and face prior to eating, smoking or drinking. Keep container closed when not in use. Injection into the body without immediate medical treatment may cause loss of affected part of the body. As with any product involved with moving equipment, care is recommended. If in doubt, stop equipment prior to application.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limit values

Ingredients	OSHA	A PEL ¹	ACGI	H TLV ²	UK	WEL ³	AUSTR	ALIA ES ⁴
	ppm	mg/m³	ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Tetrasodium pyrophosphate*	N/A	N/A	N/A	N/A	N/A	5	N/A	5

- * U.S. National Institute for Occupational Safety and Health (NIOSH) REL (TWA): 5 mg/m³
- ¹ United States Occupational Health & Safety Administration permissible exposure limits
- ² American Conference of Governmental Industrial Hygienists threshold limit values
- ³ EH40 Workplace exposure limits, Health & Safety Executive
- ⁴ Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

Biological limit values

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

Workers

Substance	Route of exposure	Potential health effects	DNEL
Tetrasodium pyrophosphate	Inhalation	Chronic effects, systemic	17.63 mg/m ³
		•	(GESTIS)

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Not available

8.2. Exposure controls

8.2.1. Engineering measures

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

Date: 19 July 2024 SDS No. 477-2

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for

mists.

Protective gloves: Chemical resistant gloves (e.g. neoprene, nitrile).

Eye and face protection: Safety goggles or glasses.

Other: None

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state grease pH not applicable

Colour off-white Kinematic viscosity 700 cSt @ 40°C (base oil)

OdourmildSolubility in waterinsolubleOdour thresholdnot determinedPartition coefficientnot applicable

n-octanol/water (log value)

Boiling point or range not applicable Vapour pressure @ 20°C not determined

Melting point/freezing pointnot applicableDensity and/or relative density0.91 kg/l% Volatile (by volume)not determinedWeight per volume7.56 lbs/gal.

Flammability not determined Vapour density (air=1) > 1
Lower/upper flammability not determined Rate of evaporation (ether=1) < 1

or explosion limits

Flash point > 115°C (> 239°F) % Aromatics by weight not determined **Particle characteristics** Method PM Closed Cup not applicable **Autoignition temperature** not applicable **Explosive properties** not determined **Decomposition temperature** not determined Oxidising properties not determined

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May depolymerize at temperatures above 200°C with the production of extremely flammable butene monomers.

10.4. Conditions to avoid

Open flames, heat, sparks and red hot surfaces.

10.5. Incompatible materials

Strong acids and strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 / GHS

Primary route of exposure

Skin and eye contact.

under normal use:

Acute toxicity -

Oral: ATE-mix = 120,296 mg/kg

Substance	Test	Result
Tetrasodium pyrophosphate	LD50, rat	1,624 mg/kg

Date: 19 July 2024 SDS No. 477-2

Dermal: Not expected to cause toxicity.

Substance	Test	Result
Tetrasodium pyrophosphate	LD50, rabbit	7,940 mg/kg

Inhalation: Not expected to cause toxicity.

Skin corrosion/irritation: Prolonged or repeated skin contact may defat the skin and cause skin irritation.

Serious eye damage/

irritation:

Causes serious eye irritation.

Substance	Test	Result
Tetrasodium pyrophosphate	Eye irritation, rabbit	Serious eye damage/severe irritation

Respiratory or skin

sensitisation:

No known effects.

Germ cell mutagenicity: Tetrasodium pyrophosphate: based on available data, the classification criteria are not met.

Carcinogenicity: This product contains no carcinogens as listed by the National Toxicology Program (NTP), the

International Agency for Research on Cancer (IARC), the Occupational Safety and Health

Administration (OSHA) or the European Chemicals Agency (ECHA).

Reproductive toxicity: Tetrasodium pyrophosphate: not expected to be reproductive toxicants.

STOT – single exposure: Tetrasodium pyrophosphate: not expected to cause toxicity.

STOT – repeated exposure: Tetrasodium pyrophosphate: based on available data, repeated exposures are not anticipated to

cause significant adverse effects.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2. Information on other hazards

None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Tetrasodium pyrophosphate: not expected to be harmful to aquatic organisms.

12.2. Persistence and degradability

Tetrasodium pyrophosphate: inorganic substance.

12.3. Bioaccumulative potential

Tetrasodium pyrophosphate: does not bioaccumulate.

12.4. Mobility in soil

Grease. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Endocrine disrupting properties

None known

12.7. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number or ID number

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE NOT APPLICABLE

Date: 19 July 2024 SDS No. 477-2

US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADG/ADR/RID/ADN/IMDG/ICAO:

TDG:

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Maritime transport in bulk according to IMO instruments

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: Nor 15.1.2. National regulations US EPA SARA TITLE III

312 Hazards: Chemicals subject to reporting requirements of Section 313 of EPCRA

and of 40 CFR 372:

Eye irritation None

TSCA: All components are listed or exempted.

Other national regulations: None 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Date: 19 July 2024 SDS No. 477-2

SECTION 16: OTHER INFORMATION

ADG: Australian Dangerous Goods Code **Abbreviations**

and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate **BCF**: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL: Specific Concentration Limit

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure TDG: Transportation of Dangerous Goods (Canada)

TWA: Time Weighted Average

US DOT: United States Department of Transportation vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)

and sources for data:

Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Eye Irrit. 2, H319	Calculation method

Relevant H-statements: H302: Harmful if swallowed.

H318: Causes serious eye damage.

Hazard pictogram names: Exclamation mark

Further information: None

19 July 2024

Date of last revision:

Changes to the SDS in this revision: Product identifier.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.