

according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

715 Spraflex® Gold (Bulk)

UFI: XH77-ARUT-2MAD-E9HT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Petroleum base lubricant for chain drives, open gears, and wire ropes.

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Chesterton International GmbH

Street: Am Lenzenfleck 23

Place: D-85737 Ismaning GERMANY

Telephone: +49 89 99 65 46 - 0 Telefax: +49 89 99 65 46 - 50

E-mail: eu-sds@chesterton.com

Contact person: eu-sds@chesterton.com Telephone: +49 89 99 65 46 - 0

E-mail: eu-sds@chesterton.com Internet: www.chesterton.com Responsible Department: eu-sds@chesterton.com

1.4. Emergency telephone +49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.

Precautionary statements

P264 Wash hands and face thoroughly after handling.



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 2 of 12

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)	-	
9003-29-6	polybutene (isobutylene/butene cop	polymer		80 - < 85 %
	500-004-7			
	Skin Irrit. 2, Asp. Tox. 1; H315 H30-	4		
10254-57-6	4,4'-methylene bis(dibutyldithiocarbamate)			
	233-593-1		01-2119969655-20	
	Aquatic Chronic 4; H413			
25619-56-1	Barium dinonyl naphthalene sulfona	ate		1 - < 5 %
	247-132-7			
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2; H332 H302 H315			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
9003-29-6	500-004-7	polybutene (isobutylene/butene copolymer		
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 10000 mg/kg		
10254-57-6	233-593-1	4,4'-methylene bis(dibutyldithiocarbamate)	1 - < 5 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 16000 mg/kg			
25619-56-1	247-132-7	Barium dinonyl naphthalene sulfonate	1 - < 5 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg			



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 3 of 12

Further Information

No information available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Provide fresh air.

Take off immediately all contaminated clothing and wash it before reuse.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

After contact with eyes

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let 1 glass of water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Causes skin and eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

- alcohol resistant foam
- Water spray jet
- Carbon dioxide (CO2)
- Dry extinguishing powder

Unsuitable extinguishing media

- Full water jet



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 4 of 12

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire: Wear self-contained breathing apparatus.

Special protective equipment for firefighters: Protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.
Safe handling: see section 7

Personal protection equipment: see section 8

For non-emergency personnel

No information available.

For emergency responders

No information available.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 5 of 12

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. Only wear fitting, comfortable and clean protective clothing. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

Further information on handling

Observe instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

Protect from direct sunlight.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect against: Frost

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation. If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection:

- Eye glasses with side protection
- goggles

Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber),

Wearing time with permanent contact: Thickness of the glove material: >= 0,4 mm, Breakthrough time: >480

Wearing time with occasional contact (splashes): Thickness of the glove material: >= 0,1 mm, Breakthrough time: > 30 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 6 of 12

Skin protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Respiratory protection

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

Thermal hazards

Do not allow to enter into surface water or drains.

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light brown
Odour: like: Solvents

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

No data available

No data available

Flash point: 133 °C ASTM D 93

Auto-ignition temperature:

Decomposition temperature:

PH-Value:

No data available

not applicable

Viscosity / kinematic:

9600 mm²/s

(at 40 °C)

Water solubility: Immiscible

Solubility in other solvents

No information available.

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density (at 20 °C): 0,89 g/cm³ Relative density: No data available Bulk density: No data available

Relative vapour density: >1 (air=1)

9.2. Other information



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 7 of 12

Information with regard to physical hazard classes

Explosive properties

not explosive according to EU A.14

Self-ignition temperature

Solid: No data available Gas: No data available

Oxidizing properties

No information available.

Other safety characteristics

Evaporation rate: <1 (Ether=1)

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

No data available

No data available

No data available

30.000 mPa·s

(at 25 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

This material is considered to be non-reactive under normal use conditions.

10.4. Conditions to avoid

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Hazardous decomposition products

- Carbon dioxide
- Carbon monoxide
- Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 8 of 12

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
9003-29-6	polybutene (isobutylene	/butene cop	olymer			
	oral	LD50 mg/kg	> 10000	Rat	Study report (1986)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1998)	OECD Guideline 402
10254-57-6	4,4'-methylene bis(dibutyldithiocarbamate)					
	oral	LD50 mg/kg	> 16000	Rat	Study report (1980)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1980)	other: Section 1500.40-Federal Hazardous
25619-56-1	Barium dinonyl naphthalene sulfonate					
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 9 of 12

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
9003-29-6	polybutene (isobutylene/b	utene copo	lymer				
	Acute fish toxicity	LL50 mg/l	> 1000	96 h	Oncorhynchus mykiss	REACh Registration Dossier	other: REACH Guidance on QSARs R.6
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	REACh Registration Dossier	other: REACH Guidance on QSARs R.6
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	other: REACH Guidance on QSARs R.6
10254-57-6	4,4'-methylene bis(dibutyldithiocarbamate)						
	Acute fish toxicity	LC50 mg/l	> 0,06	96 h	Oncorhynchus mykiss	Study report (2004)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 0,033	72 h	Desmodesmus subspicatus	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 0,052	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
	Fish toxicity	NOEC	0,2 mg/l	28 d	Pimephales promelas	REACh Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	>= 0,247	21 d	Daphnia magna	Study report (2009)	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2012)	OECD Guideline 209

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
9003-29-6	polybutene (isobutylene/butene copolymer	7,6 - 7,8
10254-57-6	4,4'-methylene bis(dibutyldithiocarbamate)	8,42

BCF

CAS No	Chemical name	BCF	Species	Source
	polybutene (isobutylene/butene copolymer	144,54		EPA (2021)
	4,4'-methylene bis(dibutyldithiocarbamate)	0,129	Oncorhynchus mykiss	REACh Registration D

12.4. Mobility in soil

No information available.



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 10 of 12

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: Naphtha (petroleum), light alkylate; Low boiling point modified naphtha



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 11 of 12

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive

E2 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative



according to Regulation (EC) No 1907/2006

715 Spraflex® Gold (Bulk)

Revision date: 06.11.2024 Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method

Re

Irrit. 2; H315	Calculation method
elevant H and EUH statements (number and full text)	

H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

Harmful if swallowed.

Further Information

H302

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)