

according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

775 Moisture Shield (Bulk)

UFI: 6C64-R9WU-JQF1-H3KQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Displaces moisture; deposits a clear, protective coating for metals in process, storage, transit, use. Easily removable. This is a solvent base coating.

#### Uses advised against

No data available

## 1.3. Details of the supplier of the safety data sheet

Company name: Chesterton International GmbH

Street: Am Lenzenfleck 23

Place: D-85737 Ismaning GERMANY

Telephone: +49 89 99 65 46 - 0 Telefax: +49 89 99 65 46 - 50

e-mail: eu-sds@chesterton.com
e-mail (Contact person): eu-sds@chesterton.com
Internet: www.chesterton.com
Responsible Department: eu-sds@chesterton.com

**1.4. Emergency telephone** +49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

number:

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Asp. Tox. 1; H304 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

## Hazard components for labelling

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 2 of 13

#### **Hazard statements**

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

## **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics			75 - < 80 %
	926-141-6		01-2119456620-43	
	Asp. Tox. 1; H304 EUH066			
	Benzene, mono-C10-13-alkyl deriva	s., distn. residues, sulfonated, barium	ı salts	5 - < 10 %
	947-582-0		01-2120767409-42	
	Skin Sens. 1; H317			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
64742-47-8	926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	75 - < 80 %		
	inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg				
	947-582-0	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	5 - < 10 %		
	dermal: LD50 =	> 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg			

### **Further Information**

No information available.



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 3 of 13

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Change contaminated, saturated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Immediately call a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes eye irritation. Causes skin irritation. Repeated exposure may cause skin dryness or cracking. Most important symptoms and effects, both acute and delayed: Headache, Dizziness, Pulmonary oedema Vapours may cause drowsiness and dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

- alcohol resistant foam
- Water spray jet
- Carbon dioxide (CO2)
- Dry extinguishing powder

## Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

- Carbon monoxide
- Carbon dioxide
- Nitrogen oxides (NOx)

### 5.3. Advice for firefighters



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 4 of 13

Co-ordinate fire-fighting measures to the fire surroundings.

In case of fire: Wear self-contained breathing apparatus.

Special protective equipment for firefighters: Protective clothing.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes.

Safe handling: see section 7

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

### 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8).

#### Advice on protection against fire and explosion

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Take precautionary measures against static discharges.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

### Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Use protective skin cream before handling the product. Remove contaminated, saturated clothing immediately. When using do not eat, drink, smoke, sniff. Wash hands and face before breaks and after work and take a shower if necessary.

### 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

# 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 5 of 13

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

Protect from direct sunlight.

## Further information on storage conditions

Keep away from:

- Frost
- Heat
- Humidity

# 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2	% aromatics		
Consumer DNI	EL, long-term	oral	systemic	18,75 mg/kg bw/day
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfor	nated, barium salts		
Worker DNEL,	long-term	inhalation	systemic	17,63 mg/m³
Worker DNEL,	long-term	dermal	systemic	25 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	1,05 mg/cm <sup>2</sup>
Consumer DNI	EL, long-term	inhalation	systemic	4,35 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	local	0,526 mg/cm <sup>2</sup>
Consumer DNI	EL, long-term	oral	systemic	2,5 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 6 of 13

#### **PNEC** values

CAS No	Substance			
Environment	Environmental compartment			
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts			
Freshwater		0,1 mg/l		
Freshwater (intermittent releases) 1 mg/l				
Marine water		0,1 mg/l		
Freshwater s	ediment	76,37 mg/kg		
Marine sediment		76,37 mg/kg		
Micro-organisms in sewage treatment plants (STP)		1000 mg/l		
Soil	Soil			

## 8.2. Exposure controls

### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Take action to prevent static discharges.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection:

- Eye glasses with side protection
- goggles

## Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber),

Wearing time with permanent contact: Thickness of the glove material: >= 0,4 mm, Breakthrough time: >480

Wearing time with occasional contact (splashes): Thickness of the glove material: >= 0,1 mm, Breakthrough time: > 30 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.

### Skin protection

Protective clothing

## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Filtering device (full mask or mouthpiece) with filter: A-P2

## Thermal hazards

No data available

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 7 of 13

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light brown
Odour: like: Petroleum

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

207 °C

boiling range: Flammability

No data available Solid/liquid: Gas: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: 69 °C Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: not applicable

Viscosity / kinematic: 1 mm²/s

(at 25 °C)

Water solubility: practically insoluble

(at 25 °C)

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

<2,7 hPa

(at 20 °C)

Density (at 20 °C): 0,8 g/cm<sup>3</sup>

Relative vapour density: >1 (air = 1)

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not determined Gas: not determined

Oxidizing properties

No information available.

#### Other safety characteristics

Evaporation rate: <1 (Ether = 1)



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 8 of 13

Sublimation point:

Softening point:

No data available

No data available

Pour point:

No data available

No data available

**Further Information** 

No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

This material is considered to be non-reactive under normal use conditions.

### 10.4. Conditions to avoid

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

## 10.5. Incompatible materials

- Strong acid,
- Strong alkali,
- Oxidising agent

## 10.6. Hazardous decomposition products

- Nitrogen oxides (NOx),
- Carbon dioxide (CO2),
- Carbon monoxide

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 9 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-47-8	Hydrocarbons, C11-C14,	n-alkanes, isoalkanes	, cyclics, <2% aromatics		
	oral	LD50 > 5000 mg/kg	Rat	Study report (1989)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 > 5,28 mg/l	Rat	Study report (1987)	OECD Guideline 403
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts				
	oral	LD50 > 10000 < 20000 mg/kg	- Rat	Study report (1972)	Adult albino male Sprague-Dawley rats we
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1989)	OECD Guideline 402

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

# **Endocrine disrupting properties**

No data available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-47-8	Hydrocarbons, C11-C14,	n-alkanes, i	soalkanes, c	yclics, <2	2% aromatics		
	Acute fish toxicity	LL50 mg/l	2 - 5	96 h	Oncorhynchus mykiss	Study report (1994)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50	1,4 mg/l	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,173	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC mg/l	1,22	21 d	Daphnia magna	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209

# 12.2. Persistence and degradability

No information available.

CAS No	Chemical name				
CAO NO	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics				
		77-83%	28		
	Readily biodegradable (according to OECD criteria).				

## 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 11 of 13

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 1,99
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	ca3,8 - ca. 5,2

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 7	calculated	REACh Registration D
	Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts	70,8		United States Enviro

### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 12 of 13

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

14.6. Special precautions for user

No information available.

## 14.7. Maritime transport in bulk according to IMO instruments

No information available.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 780 - 820 g/l

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Benzene, mono-C10-13-alkyl derivs., distn. residues, sulfonated, barium salts

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,5,6,7,8,9,10,11,12,13,15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods



according to Regulation (EC) No 1907/2006

## 775 Moisture Shield (Bulk)

Revision date: 25.01.2023 Page 13 of 13

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

**DNEL: Derived No Effect Level** 

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Skin Sens. 1; H317	Calculation method

# Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)