

#### SAFETY DATA SHEET

in accordance with REACH (1907/2006/EC, as amended by 2020/878/EU) and Safe Work Australia

Revision date: 31 July 2023 Date of previous issue: 22 April 2022 SDS No. 420-10

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

**630 SXCF** 

Unique Formula Identifier (UFI): Not available

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Synthetic base oil lubricating grease. Superior multi-purpose grease for heavy loads, high heat and

corrosive environments.

Uses advised against: No information available
Reason why uses advised against: Not applicable
1.3. Details of the supplier of the safety data sheet

Company: Supplier:

A.W. CHESTERTON COMPANY

860 Salem Street

Groveland, MA 01834-1507, USA

Tel. +1 978-469-6446 Fax: +1 978-469-6785

(Mon. - Fri. 8:30 - 5:00 PM EST) SDS requests: <u>www.chesterton.com</u>

E-mail (SDS questions): ProductSDSs@chesterton.com

E-mail: customer.service@chesterton.com

EU: Chesterton International GmbH, Am Lenzenfleck 23, D85737 Ismaning, Germany – Tel. +49-89-996-5460

### 1.4. Emergency telephone number

24 hours per day, 7 days per week Call Infotrac: 1-800-535-5053

Outside N. America: +1 352-323-3500 (collect) NSW Poisons Information Centre (Australia): 13 11 26

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# 2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / Safe Work Australia

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015, Safe Work Australia and GHS.

### 2.1.2. Additional information

None

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / Safe Work Australia

Hazard pictograms:NoneSignal word:NoneHazard statements:NonePrecautionary statements:None

Supplemental information: EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids,

petroleum, calcium salts and Benzenesulfonic acid, mono-C16-24-alkyl derivs.,

calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**Date:** 31 July 2023 SDS No. 420-10

#### 2.3. Other hazards

None

SECTION 3: COMPOSITION/INFORM	MATION ON	NGREDIENTS			
3.2. Mixtures					
Hazardous Ingredients <sup>1</sup>	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification	SCL, M-factor, ATE
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	1 - 5	68584-23-6 271-529-4	NA	Skin Sens. 1B, H317	ATE (oral): > 5000 mg/kg ATE (dermal): > 5000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Calcium dodecylbenzenesulphonate	1 - < 3	26264-06-2 247-557-8	NA	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 4, H413	ATE (oral): 1300 mg/kg ATE (dermal): > 5000 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1 - 2	68411-46-1 270-128-1	NA	Repr. 2, H361f Aquatic Chronic 3, H412	ATE (oral): > 2000 mg/kg ATE (dermal): > 2000 mg/kg
Sulfonic acids, petroleum, calcium salts	1 - 2	61789-86-4 263-093-9	NA	Skin Sens. 1B, H317	ATE (oral): > 5000 mg/kg ATE (dermal): > 5000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1 - <1	70024-69-0 274-263-7	NA	Skin Sens. 1B, H317	ATE (oral): > 5000 mg/kg ATE (dermal): > 5000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Other ingredients:					
Calcium carbonate	10 - 20	471-34-1 207-439-9	NA	Not classified**	ATE (oral): 6450 mg/kg
Baseoil – unspecified*	10 - <20	64742-70-7/ 265-174-4 64742-65-0/ 265-169-7	NA	Not classified**	ATE (oral): > 5000 mg/kg ATE (dermal): > 2000 mg/kg ATE (inhalation, mist): > 5.53 mg/l

For full text of H-statements: see SECTION 16. \*Contains less than 3 % DMSO extract as measured by IP 346.

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**Inhalation:** Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

**Skin contact:** Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. Contact

physician if irritation persists.

**Ingestion:** Do not induce vomiting. Contact physician.

**Protection of first-** Avoid contact with the product while providing aid to the victim. See section 8.2.2 for

aiders: recommendations on personal protective equipment.

# 4.2. Most important symptoms and effects, both acute and delayed

May cause mild eye irritation.

<sup>\*\*</sup>Substance with a workplace exposure limit.

<sup>&</sup>lt;sup>1</sup> Classified according to: 1272/2008/EC, REACH, Safe Work Australia, GHS

Product: 630 SXCF SDS No. 420-10

### 4.3. Indication of any immediate medical attention and special treatment needed

High velocity injection under the skin may leave a bloodless puncture wound subject to infection, disfigurement, lack of blood and may require amputation. Immediate treatment by a surgical specialist is recommended.

## **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Date: 31 July 2023

Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

Unsuitable extinguishing media: High volume water jet5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon Monoxide, Carbon Dioxide, oxides of Nitrogen and Sulfur and other toxic fumes.

Other hazards: Do not allow runoff from firefighting to enter drains or water courses.

### 5.3. Advice for firefighters

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

Australian HAZCHEM Emergency Action Code: 3 Z

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Utilize exposure controls and personal protection as specified in Section 8.

### 6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

## 6.3. Methods and material for containment and cleaning up

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

### 6.4. Reference to other sections

Refer to section 13 for disposal advice.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Utilize exposure controls and personal protection as specified in Section 8. Wash before eating, drinking or smoking. Injection into the body without immediate medical treatment may cause loss of affected part of the body.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container closed when not in use.

## 7.3. Specific end use(s)

No special precautions.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

# Occupational exposure limit values

Ingredients	ACGII ppm	H TLV¹ mg/m³	UK V ppm	VEL² mg/m³	AUSTRA ppm	ALIA ES³ mg/m³
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A
Calcium dodecylbenzenesulphonate	N/A	N/A	N/A	N/A	N/A	N/A
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	N/A	N/A	N/A	N/A	N/A	N/A
Sulfonic acids, petroleum, calcium salts	N/A	N/A	N/A	N/A	N/A	N/A
Benzenesulfonic acid, mono-C16- 24-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A
Calcium carbonate	(inhal.) (resp.)	10 * 3	(inhal.) (resp.)	10 4	(inhal.)	10
Baseoil – unspecified	N/A	5	N/A	N/A	N/A	5

<sup>\*</sup> Particles Not Otherwise Specified (PNOS)

Product: 630 SXCF
SDS No. 420-10

<sup>1</sup> American Conference of Governmental Industrial Hygienists threshold limit values

- <sup>2</sup> EH40 Workplace exposure limits, Health & Safety Executive
- <sup>3</sup> Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

# **Biological limit values**

**Date:** 31 July 2023

No biological exposure limits noted for the ingredient(s).

# Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

# Workers

Substance	Route of exposure	Potential health effects	DNEL
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil – unspecified	Inhalation	Chronic effects, local	5.6 mg/m <sup>3</sup>
		Chronic effects, systemic	2.7 mg/m <sup>3</sup>
	Dermal	Chronic effects, systemic	1 mg/kg bw/day
Calcium dodecylbenzenesulphonate	Inhalation	Acute effects, local	52mg/m <sup>3</sup>
		Acute effects, systemic	52 mg/m <sup>3</sup>
		Chronic effects, local	52 mg/m <sup>3</sup>
		Chronic effects, systemic	52 mg/m <sup>3</sup>
	Dermal	Acute effects, local	1.57 mg/cm <sup>2</sup>
		Acute effects, systemic	80 mg/kg bw/day
		Chronic effects, local	1.57 mg/cm <sup>2</sup>
		Chronic effects, systemic	57.2 mg/kg bw/day
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Inhalation	Chronic effects, systemic	4.37 mg/m <sup>3</sup>
	Dermal	Chronic effects, systemic	0.62 mg/kg
Sulfonic acids, petroleum, calcium salts	Inhalation	Chronic effects, systemic	11.75 mg/m <sup>3</sup>
	Dermal	Chronic effects, local	1.03 mg/cm <sup>2</sup>
		Chronic effects, systemic	3.33 mg/kg bw/day

**Date**: 31 July 2023 SDS No. 420-10

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:

Substance	Environmental protection target	PNEC
Calcium carbonate	Microorganisms in sewage treatment	100 mg/l
Distillates (petroleum), solvent-	Food chain	9.33 mg/kg food
dewaxed heavy paraffinic; Baseoil –		
unspecified		
Calcium dodecylbenzenesulphonate	Fresh water	0.28 mg/l
	Freshwater sediments	27.5 mg/kg
	Marine water	0.458 mg/l
	Marine sediments	2.75 mg/kg
	Food chain	20 mg/kg food
	Microorganisms in sewage treatment	50 mg/l
	Soil (agricultural)	25 mg/kg dry wt.
	Air	10 mg/m <sup>3</sup>
Benzenamine, N-phenyl-, reaction	Fresh water	0.051 mg/l
products with 2,4,4-trimethylpentene		
	Freshwater sediments	9320 mg/kg
	Marine water	0.0051 mg/l
	Marine sediments	932 mg/kg
	Soil (agricultural)	1860 mg/kg
	Microorganisms in sewage treatment	1 mg/l
Sulfonic acids, petroleum, calcium salts	Fresh water	1 mg/l
	Freshwater sediments	226,000,000 mg/kg
	Marine water	1 mg/l
	Marine sediments	226,000,000 mg/kg
	Soil (agricultural)	271,000,000 mg/kg
	Microorganisms in sewage treatment	1000 mg/l

# 8.2. Exposure controls

## 8.2.1. Engineering measures

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

# 8.2.2. Individual protection measures

**Respiratory protection:** Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for

mists.

Protective gloves: Chemical resistant gloves (e.g., neoprene)

Eye and face protection: Safety goggles or glasses.

Other: Long sleeves, long pants and good personal hygiene to minimize skin contact.

# 8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

Date: 31 July 2023 **SDS No.** 420-10

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Physical state semi-solid not applicable

Colour cream Kinematic viscosity 46 cSt @ 40°C (base oil)

Solubility in water Odour insoluble mild **Odour threshold** Partition coefficient nnot determined not applicable

octanol/water (log value)

Boiling point or range not applicable Vapour pressure @ 20°C not determined

Melting point/freezing point > 204°C (> 400°F) Density and/or relative density 1.0 kg/l % Volatile (by volume) negligible Vapour density (air=1) > 1 Flammability no data available Rate of evaporation (ether=1) < 1 % Aromatics by weight 0

Lower/upper flammability or explosion limits

not determined

Flash point > 180°C (> 356°F) Particle characteristics not applicable Method **Explosive properties** not determined Open Cup Autoignition temperature not determined Oxidising properties not determined Decomposition temperature no data available

9.2. Other information

None

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Refer to sections 10.3 and 10.5.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

# 10.4. Conditions to avoid

Open flames and red hot surfaces.

# 10.5. Incompatible materials

Strong oxidizers like liquid Chlorine and concentrated Oxygen.

## 10.6. Hazardous decomposition products

Oxides of Carbon, Sulfur and other toxic fumes.

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Primary route of exposure under normal use:

Skin and eye contact.

Acute toxicity -

Oral: ATE-mix > 5000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	LD50, rat, (OECD 401)	> 5000 mg/kg
derivs., calcium salts		
Calcium dodecylbenzenesulphonate	LD50, rat	1300 mg/kg
Benzenamine, N-phenyl-, reaction	LD50, rat, (OECD 401)	> 2000 mg/kg
products with 2,4,4-trimethylpentene		
Sulfonic acids, petroleum, calcium salts	LD50, rat	> 5000 mg/kg
Benzenesulfonic acid, mono-C16-24-	LD50, rat, (OECD 401)	> 5000 mg/kg
alkyl derivs., calcium salts		
Baseoil	LD50, rat, (OECD 401)	> 5000 mg/kg
		(similar material)

**Date:** 31 July 2023 SDS No. 420-10

# **Dermal:** ATE-mix > 5000 mg/kg

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rabbit	> 5000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rat	> 5000 mg/kg (read- across)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50, rat	> 2000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat (OECD 402)	> 5000 mg/kg
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	LD50, rat (OECD 402)	> 5000 mg/kg
Baseoil	LD50, rat, (OECD 402)	> 2000 mg/kg (similar material)

Inhalation:

Based on available data, the classification criteria are not met.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	LC50, rat, mist, 4 h (OPP	> 1.9 mg/l
derivs., calcium salts	81-3)	
Sulfonic acids, petroleum, calcium salts	LC50, rat, mist, 4 h (OPP	> 1.9 mg/l
·	81-3)	
Benzenesulfonic acid, mono-C16-24-	LC50, rat, mist, 4 h (OPP	> 1.9 mg/l
alkyl derivs., calcium salts	81-3)	
Baseoil	LC50, rat, mist, 4 h	> 5.53 mg/l (similar
	(OECD 403)	material)

Skin corrosion/irritation:

Not classified, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	Skin irritation, rabbit	Not irritating
derivs., calcium salts	(OECD 404)	
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit (OECD 404)	Irritating
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Skin irritation, rabbit (OECD 404)	Not irritating
Sulfonic acids, petroleum, calcium salts	Skin irritation, rabbit (OECD 404)	Not irritating
Benzenesulfonic acid, mono-C16-24- alkyl derivs calcium salts	Skin irritation, rabbit	Not irritating

Serious eye damage/irritation:

Not classified, based on data from similar materials. May cause mild eye irritation.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	Eye irritation, rabbit	Not irritating
derivs., calcium salts	(OECD 405)	
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit	Severe irritation
	(OECD 405)	
Benzenamine, N-phenyl-, reaction	Eye irritation, rabbit	Not irritating
products with 2,4,4-trimethylpentene	(OECD 405)	
Sulfonic acids, petroleum, calcium salts	Eye irritation, rabbit	Not irritating
Benzenesulfonic acid, mono-C16-24-	Eye irritation, rabbit	Not irritating
alkyl derivs., calcium salts	-	

Product: 630 SXCF
SDS No. 420-10

Respiratory or skin sensitisation:

Date: 31 July 2023

Does not cause skin sensitisation, based on data from similar materials.

Substance	Test	Result
Baseoil	Skin sensitization,	Not sensitizing
	guinea pig (OECD 406)	(similar material)
Benzenesulfonic acid, C10-16-alkyl	Skin sensitization,	Sensitizing weak
derivs., calcium salts	guinea pig	
Calcium dodecylbenzenesulphonate	Skin sensitization,	Not sensitizing
	guinea pig (OECD 406)	
Benzenamine, N-phenyl-, reaction	Skin sensitization,	Not sensitizing
products with 2,4,4-trimethylpentene	guinea pig (OECD 406)	
Sulfonic acids, petroleum, calcium salts	Skin sensitization,	Sensitizing weak
	guinea pig	
Benzenesulfonic acid, mono-C16-24-	Skin sensitization,	Sensitizing weak
alkyl derivs., calcium salts	mouse (OECD 429)	

Germ cell mutagenicity:

Not classified, based on available data. Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene Ames test: negative.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Ames test (OECD 471)	negative (similar material)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	In vitro test, OECD 476	negative (similar material)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Micronucleus test, mouse, oral	negative
Calcium dodecylbenzenesulphonate	Ames test (QSAR)	negative
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Ames test	negative
Sulfonic acids, petroleum, calcium salts	Ames test (OECD 471)	negative (similar material)
Sulfonic acids, petroleum, calcium salts	In vitro test, OECD 476	negative (similar material)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Ames test (OECD 471)	negative
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	In vitro test, OECD 476	negative
Baseoil	bacteria, OECD 471	negative

Carcinogenicity:

This product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or the European Chemicals Agency (ECHA).

Reproductive toxicity:

Not classified, based on available data. Calcium carbonate: in animal studies, did not interfere with reproduction.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	415, rat, male/female, oral, 28 days	NOAEL >= 500 mg/kg (similar material)
Calcium dodecylbenzenesulphonate	rat, male/female, oral, 20 days	maternal NOAEL: 300 mg/kg developmental NOAEL: 300 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	rat, male/female, oral, 1 generation, OECD 443	Effects on fertility

STOT - single exposure:

Not classified, based on available data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

**Date:** 31 July 2023 SDS No. 420-10

#### STOT - repeated exposure:

Not classified, based on available data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl	28-day oral subchronic	NOAEL: 500 mg/kg
derivs., calcium salts	study (OECD 407) rat,	(similar material)
	male/female	
Calcium dodecylbenzenesulphonate	180-day oral subchronic study, rat, male/female	LOAEL: 115 mg/kg
Calcium dodecylbenzenesulphonate	rat, male/female, 30 days	LOAEL: 250 mg/kg

**Aspiration hazard:** Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

None known

### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

### 12.1. Toxicity

Calcium dodecylbenzenesulphonate: 96 h LC50 (fish) = 22 mg/l (OECD 203, read-across). Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: 96 h LC50 (fish) > 71 mg/l (OECD 203). Sulfonic acids, petroleum, calcium salts: 48 h EC50 (for daphnia) = > 100 mg/l (OECD 203).

### 12.2. Persistence and degradability

Oil: not readily biodegradable. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: not readily biodegradable (read-across). Calcium dodecylbenzenesulphonate: readily biodegradable. Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: not readily biodegradable (CO2 Evolution Test).

### 12.3. Bioaccumulative potential

Oil: not expected to bioaccumulate. Calcium dodecylbenzenesulphonate: BCF = 104 (fish, 21 days).

### 12.4. Mobility in soil

Semi-solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9). Oil products, improperly released to the environment, can cause ground and water pollution.

# 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# 12.6. Endocrine disrupting properties

None known

### 12.7. Other adverse effects

None known

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement.

# **SECTION 14: TRANSPORT INFORMATION**

### 14.1. UN number or ID number

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADG/ADR/RID/ADN/IMDG/ICAO:

TDG:

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE US DOT: NOT APPLICABLE

14.4. Packing group

ADG/ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE TDG: NOT APPLICABLE

**Date:** 31 July 2023 SDS No. 420-10

US DOT: 14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

**NOT APPLICABLE** 

14.7. Maritime transport in bulk according to IMO instruments

**NOT APPLICABLE** 

14.8. Other information

NOT APPLICABLE

### SECTION 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

NOT APPLICABLE

15.1.1. EU regulations

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: Nor 15.1.2. National regulations

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION**

Abbreviations ADG: Australian Dangerous Goods Code

and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE: Acute Toxicity Estimate BCF: Bioconcentration Factor

cATpE: Converted Acute Toxicity point Estimate

CLP: Classification Labelling Packaging Regulation (1272/2008/EC)

ES: Exposure Standard

GHS: Globally Harmonized System

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration to 50 % of a test population

LD50: Lethal Dose to 50% of a test population

LOEL: Lowest Observed Effect Level

N/A: Not Applicable NA: Not Available

NOEC: No Observed Effect Concentration

NOEL: No Observed Effect Level

OECD: Organization for Economic Co-operation and Development

PBT: Persistent, Bioaccumulative and Toxic substance (Q)SAR: Quantitative Structure-Activity Relationship

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)

REL: Recommended Exposure Limit

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL: Specific Concentration Limit

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

STOT RE: Specific Target Organ Toxicity, Repeated Exposure STOT SE: Specific Target Organ Toxicity, Single Exposure

TWA: Time Weighted Average

vPvB: very Persistent and very Bioaccumulative substance

WEL: Workplace Exposure Limit

Other abbreviations and acronyms can be looked up at www.wikipedia.org.

**Date**: 31 July 2023 SDS No. 420-10

Key literature references Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)

and sources for data: Chemical Classification and Information Database (CCID)

European Chemicals Agency (ECHA) - Information on Chemicals

Hazardous Chemical Information System (HCIS) National Institute of Technology and Evaluation (NITE)

Swedish Chemicals Agency (KEMI)

U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

 Classification
 Classification procedure

 Not applicable
 Not applicable

**Relevant H-statements:** H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H361f: Suspected of damaging fertility.

H412: Harmful to aquatic life with long lasting effects. H413: May cause long lasting harmful effects to aquatic life.

Hazard pictogram names: Not applicable

Further information: None

**Changes to the SDS in this revision:** Sections 1.3, 3.2, 8.1, 9.1, 11.1, 15.1, 16.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.