
180H Cartridge Single Seal Spare Parts Kit Instructions

FIGURES



180H Rotary Seal Face

PRIOR TO KIT INSTALLATION:

- 1. Compare your seal size with sizes in 180H Adapter Table
- 2. If your seal size matches any listed in this table, consult with Chesterton Application Engineering to insure proper clearance between the adapter and seal face before kit installation.
- 3. Use 180 Installation Instructions (supplied) for seal assembly.

180H SPARE PARTS KIT CONTAINS	
180H (Hydropad) Rotary Seal Face	
Stationary Seal Face	
Graphite Gland Gasket	
O-rings	
Set Screws	
Centering Clips	
Hex Keys	
Grease	
180 Seal Installation Instructions	

180H ADAPTER TABLE*		
SEAL SIZE	SHAFT SIZE	
-14	1.750"	
-15	1.875"	
45 mm	45,0 mm	
48 mm	48,0 mm	
50 mm	50,0 mm	
-16	2.000"	
55 mm	55,0 mm	
-18	2.250"	
-19	2.375"	
60 mm	60,0 mm	
-20	2.500"	

* NOTE: Adapter I.D. clearances have been increased on the listed seal sizes to optimize performance.



860 Salem Street Groveland, Massachusetts 01834 USA Telephone: (781) 438-7000 • Fax: (978) 469-6528 www.chesterton.com

© A.W. Chesterton Company, 2010. All rights reserved. ® Registered trademark owned and licensed by

A.W. Chesterton Company in USA and other countries.

Chesterton ISO Certifications are available on www.chesterton.com/corporate/iso